




FLEXSTORM P/Ns 62SSQFX

SQ INLET TYPE: RAISED CAST IRON FRAME AND FLAT RECTANGULAR/SQUARE GRATE



Catch-It Frame with FX Bag		Field Inlet Dimensions		Flexstorm Framing Dims				Flexstorm Ratings		
ADS P/N	Flexstorm Item code	Grate Size (A x C)	Clear Opening (B x D)	B1	D1	A1	C1	Bag Capacity (ft ³)	FX/FX+ Flow Rate (CFS)	Bypass (CFS)
62SSQFX	C-SQ-134-134-116-116-FX	13.375 x 13.375	11.62 x 11.62	11.0	11.0	13.0	13.0	0.8	1.9	2.1
62SSQFX	C-SQ-180-180-163-163-FX	18 x 18	16.25 x 16.25	16.0	16.0	18.0	18.0	1.6	2.7	3.1
62SSQFX	C-SQ-190-130-175-115-FX	19 x 13	17.5 x 11.5	17.0	11.0	19.0	13.0	1.2	2.4	2.7
62SSQFX	C-SQ-240-105-223-88-FX	24 x 10.5	22.25 x 8.75	21.5	8.5	23.5	10.5	1.2	2.5	2.9



NOTES:

1. RATINGS SHOWN ARE FOR STANDARD 22" BAG DEPTH; "SHORT" 12" DEPTH BAGS ARE AVAILABLE WITH -S SUFFIX; RATINGS REDUCED BY ~50%.




2. THE FOLLOWING REQUIRES ADDITIONAL REVIEW

- GRATES WITH EXTENDED BOTTOMS
- ANY OBSTRUCTED INLET OPENINGS

 CATCH-IT	ALL PRODUCTS MANUFACTURED BY INLET & PIPE PROTECTION, INC A DIVISION OF ADS, INC. WWW.INLETFILTERS.COM (866) 287-8655 PH (630) 355-3477 FX INFO@INLETFILTERS.COM		
	SIZE C	FRAME TYPE SQ1	DWG NO SQ-62SSQ-PC
THIS PRINT DISCLOSES SUBJECT MATTER IN WHICH FLEXSTORM HAS PROPRIETARY RIGHTS. THE RECEIPT OR POSSESSION OF THIS PRINT DOES NOT CONFER, TRANSFER, OR LICENSE THE USE OF THE DESIGN OR TECHNICAL INFORMATION SHOWN HEREIN. REPRODUCTION OF THIS PRINT OR ANY INFORMATION CONTAINED HEREIN, OR MANUFACTURE OF ANY ARTICLE HEREFROM, FOR THE DISCLOSURE TO OTHERS IS PROHIBITED, EXCEPT BY WRITTEN PERMISSION FROM FLEXSTORM. ©2013 ADS, INC.		SCALE	SHEET 1 OF 1

FLEXSTORM P/Ns 62MSQFX

SQ INLET TYPE: RAISED CAST IRON FRAME AND FLAT RECTANGULAR/SQUARE GRATE



Catch-It Frame with FX Bag		Field Inlet Dimensions		Flexstorm Framing Dims				Flexstorm Ratings		
ADS P/N	Flexstorm Item code	Grate Size (A x C)	Clear Opening (B x D)	B1	D1	A1	C1	Bag Capacity (ft ³)	FX/FX+ Flow Rate (CFS)	Bypass (CFS)
62MSQFX	C-SQ-180-180-170-170-FX	18 x 18	17 x 17	16.0	16.0	18.0	18.0	1.6	2.7	3.1
62MSQFX	C-SQ-198-198-180-180-FX	19.75 x 19.75	18 x 18	17.5	17.5	19.5	19.5	1.9	3.0	3.4
62MSQFX	C-SQ-218-148-200-130-FX	21.75 X 14.75	20 x 13	19.5	12.5	21.5	14.5	1.6	2.7	3.1
62MSQFX	C-SQ-218-218-196-196-FX	21.75 x 21.75	19.6 x 19.6	19.5	19.5	21.5	21.5	2.4	3.3	3.8
62MSQFX	C-SQ-218-218-200-200-FX	21.75 x 21.75	20 x 20	19.5	19.5	21.5	21.5	2.4	3.3	3.8
62MSQFX	C-SQ-223-223-199-199-FX	22.25 x 22.25	20.125 x 20.125	19.5	19.5	21.5	21.5	2.4	3.3	3.8
62MSQFX	C-SQ-223-223-201-201-FX	22.25 x 22.25	20.125 x 20.125	19.5	19.5	21.5	21.5	2.4	3.3	3.8
62MSQFX	C-SQ-225-225-207-195-FX	22.5 x 22.5	(2) 20.687 x 19.5	19.0	19.0	22.5	19.0	2.3	3.2	5.5
62MSQFX	C-SQ-225-223-203-203-FX	22.5 x 22.25	20.25 x 20.25	20.0	20.0	22.0	22.0	2.5	3.4	3.9
62MSQFX	C-SQ-225-225-205-205-FX	22.5 x 22.5	20.5 x 20.5	20.0	20.0	22.0	22.0	2.5	3.4	3.9
62MSQFX	C-SQ-228-228-208-208-FX	22.75 x 22.75	20.75x 20.75	20.5	20.5	22.5	22.5	2.7	3.5	4.0
62MSQFX	C-SQ-230-201-205-176-FX	23 x 20.125	20.5 x 17.62	20.0	17.5	22.0	19.5	2.2	3.2	3.6
62MSQFX	C-SQ-231-203-205-180-FX	23.1 x 20.25	20.5 x 18	19.5	17.5	23.0	17.5	2.2	3.1	5.4
62MSQFX	C-SQ-235-235-220-220-FX	23.5 x 23.5	22 x 22	21.5	21.5	23.5	23.5	2.9	3.6	4.1
62MSQFX	C-SQ-236-236-221-221-FX	23.625 x 23.625	22.125 x 22.125	21.5	21.5	23.5	23.5	2.9	3.6	4.1
62MSQFX	C-SQ-238-238-220-220-FX	23.75 X 23.75	22 X 22	21.5	21.5	23.5	23.5	2.9	3.6	4.1
62MSQFX	C-SQ-239-215-220-198-FX	23.87 x 21.5	22 x 19.75	21.5	19.0	23.5	21.0	2.6	3.4	3.9
62MSQFX	C-SQ-239-239-215-223-FX	23.87 x 23.87	21.5 x 22.25	21.0	21.5	23.0	23.5	2.9	3.6	4.1
62MSQFX	C-SQ-239-239-220-220-FX	23.87 x 23.87	22 x 22	21.5	21.5	23.5	23.5	2.9	3.6	4.1
62MSQFX	C-SQ-239-239-223-223-FX	23.87 x 23.87	22.25 x 22.25	21.5	21.5	23.5	23.5	2.9	3.6	4.1
62MSQFX	C-SQ-240-163-223-145-FX	24 x 16.25	22.25 x 14.5	21.5	14.0	23.5	16.0	1.9	3.0	3.4
62MSQFX	C-SQ-240-215-220-195-FX	24 x 21.5	22 x 19.5	27.5	12.5	29.5	14.5	2.2	3.4	5.8
62MSQFX	C-SQ-240-223-218-205-FX	24 x 22.25	21.75 x 20.5	20.5	20.0	24.0	22.0	2.6	3.4	5.9
62MSQFX	C-SQ-240-240-220-220-FX	24 x 24	22 x 22	21.5	21.5	23.5	23.5	2.9	3.6	4.1

NOTES:

1. RATINGS SHOWN ARE FOR STANDARD 22" BAG DEPTH; "SHORT" 12" DEPTH BAGS ARE AVAILABLE WITH -S SUFFIX; RATINGS REDUCED BY ~50%.

2. THE FOLLOWING REQUIRES ADDITIONAL REVIEW

-GRATES WITH EXTENDED BOTTOMS

-ANY OBSTRUCTED INLET OPENINGS

FLEXSTORM
INLET FILTERS
CATCH-IT




ALL PRODUCTS MANUFACTURED BY INLET & PIPE PROTECTION, INC A DIVISION OF ADS, INC.
WWW.INLETFILTERS.COM
 (866) 287-8655 PH
 (630) 355-3477 FX
INFO@INLETFILTERS.COM

THIS PRINT DISCLOSES SUBJECT MATTER IN WHICH FLEXSTORM HAS PROPRIETARY RIGHTS. THE RECEIPT OR POSSESSION OF THIS PRINT DOES NOT CONFER, TRANSFER, OR LICENSE THE USE OF THE DESIGN OR TECHNICAL INFORMATION SHOWN HEREIN. REPRODUCTION OF THIS PRINT OR ANY INFORMATION CONTAINED HEREIN, OR MANUFACTURE OF ANY ARTICLE HEREFROM, FOR THE DISCLOSURE TO OTHERS IS PROHIBITED, EXCEPT BY WRITTEN PERMISSION FROM FLEXSTORM. ©2013 ADS, INC.	SIZE: C SCALE: 1" = 1'-0"	FRAME TYPE: SQ1	DWG NO: SQ-62MSQ-PC	REV: A
--	------------------------------	-----------------	---------------------	--------

SHEET 1 OF 2

FLEXSTORM P/Ns 62MSQFX

SQ INLET TYPE: RAISED CAST IRON FRAME AND FLAT RECTANGULAR/SQUARE GRATE




Catch-It Frame with FX Bag		Field Inlet Dimensions		Flexstorm Framing Dims				Flexstorm Ratings		
ADS P/N	Flexstorm Item code	Grate Size (A x C)	Clear Opening (B x D)	B1	D1	A1	C1	Bag Capacity (ft ³)	FX/FX+ Flow Rate (CFS)	Bypass (CFS)
62MSQFX	C-SQ-240-240-221-221-FX	24 x 24	22.125 x 22.125	21.5	21.5	23.5	23.5	2.9	3.6	4.1
62MSQFX	C-SQ-240-240-228-228-FX	24 x 24	22.75 x 22.75	22.0	22.0	24.0	24.0	3.1	3.7	4.2
62MSQFX	C-SQ-253-253-240-240-FX	25.25 x 25.25	24 x 24	23.0	23.0	25.0	25.0	3.4	3.9	4.4
62MSQFX	C-SQ-255-255-240-240-FX	25.5 x 25.5	24 X 24	23.5	23.5	25.5	25.5	3.5	4.0	4.5
62MSQFX	C-SQ-258-198-240-180-FX	19.75 X 25.75	18 X 24	23.5	17.5	25.5	19.5	2.6	3.5	4.0
62MSQFX	C-SQ-258-258-240-240-FX	25.75 X 25.75	24 X 24	23.5	23.5	25.5	25.5	3.5	4.0	4.5
62MSQFX	C-SQ-260-180-240-160-FX	26 x 18	24 x 16	23.5	15.5	25.5	17.5	2.3	3.3	3.8
62MSQFX	C-SQ-260-260-240-240-FX	26 x 26	24 x 24	23.5	23.5	25.5	25.5	3.5	4.0	4.5
62MSQFX	C-SQ-264-144-240-121-FX	26.375 x 14.375	24 x 12.125	23.5	12.0	25.5	14.0	1.8	3.0	3.4
62MSQFX	C-SQ-268-163-248-145-FX	26.75 x 16.25	14.5 x 24.75	24.3	14.0	26.3	16.0	2.2	3.2	3.7
62MSQFX	C-SQ-268-198-245-175-FX	26.75 x 19.75	24.5 x 17.5	24.0	17.0	26.0	19.0	2.6	3.5	4.0
62MSQFX	C-SQ-280-180-260-160-FX	28 x 18	26 x 16	25.5	15.5	27.5	17.5	2.5	3.5	4.0
62MSQFX	C-SQ-291-216-270-195-FX	29.125 x 21.62	27 x 19.5	26.5	19.0	28.5	21.0	3.2	3.9	4.4
62MSQFX	C-SQ-293-165-278-149-FX	29.25 x 16.5	27.75 x 14.87	27.0	14.5	29.0	16.5	2.5	3.5	4.0
62MSQFX	C-SQ-295-145-281-131-FX	29.5(x2) x 14.5	25.125(x2) x 13.125	27.5	12.5	29.5	14.5	2.2	3.4	3.9
62MSQFX	C-SQ-295-164-275-145-FX	29.5 x 16.375	27.5 x 14.5	27.0	14.0	29.0	16.0	2.4	3.5	4.0
62MSQFX	C-SQ-298-168-275-145-FX	29.75 x 16.75	27.5 x 14.5	27.0	14.0	29.0	16.0	2.4	3.5	4.0
62MSQFX	C-SQ-298-178-280-160-FX	29.75 x 17.75	28 x 17.75	27.5	15.5	29.5	17.5	2.7	3.6	4.1
62MSQFX	C-SQ-298-220-280-202-FX	29.75 x 22	28 x 20.2	27.5	19.5	29.5	21.5	3.4	4.0	4.5
62MSQFX	C-SQ-300-180-285-165-FX	30 x 18	28.5 x 16.5	28.0	16.0	30.0	18.0	2.9	3.7	4.2
62MSQFX	C-SQ-300-220-278-198-FX	30 x 22	27.75 x 19.75	27.5	19.5	29.5	21.5	3.4	4.0	4.5
62MSQFX	C-SQ-318-198-300-180-FX	19.75 X 31.75	18 X 30	29.5	17.5	31.5	19.5	3.3	4.0	4.5
62MSQFX	C-SQ-360-160-333-145-FX	36 x 16	33.25 x 14.5	32.8	14.0	34.8	16.0	2.9	4.0	4.5

NOTES:


1. RATINGS SHOWN ARE FOR STANDARD 22" BAG DEPTH; "SHORT" 12" DEPTH BAGS ARE AVAILABLE WITH -S SUFFIX; RATINGS REDUCED BY ~50%.

2. THE FOLLOWING REQUIRES ADDITIONAL REVIEW

- GRATES WITH EXTENDED BOTTOMS
- ANY OBSTRUCTED INLET OPENINGS



FLEXSTORM
INLET FILTERS



CATCH-IT



ALL PRODUCTS MANUFACTURED BY INLET & PIPE PROTECTION, INC A DIVISION OF ADS, INC.
WWW.INLETFILTERS.COM
(866) 287-8655 PH
(630) 355-3477 FX
INFO@INLETFILTERS.COM

THIS PRINT DISCLOSES SUBJECT MATTER IN WHICH FLEXSTORM HAS PROPRIETARY RIGHTS. THE RECEIPT OR POSSESSION OF THIS PRINT DOES NOT CONFER, TRANSFER, OR LICENSE THE USE OF THE DESIGN OR TECHNICAL INFORMATION SHOWN HEREIN. REPRODUCTION OF THIS PRINT OR ANY INFORMATION CONTAINED HEREIN, OR MANUFACTURE OF ANY ARTICLE HEREFROM, FOR THE DISCLOSURE TO OTHERS IS PROHIBITED, EXCEPT BY WRITTEN PERMISSION FROM FLEXSTORM.	SCALE	SIZE	FRAME TYPE	DWG NO	REV
		C	SQ1	SQ-62MSQ-PC	A

©2013 ADS, INC. SHEET 2 OF 2

FLEXSTORM P/Ns 62LSQFX

SQ INLET TYPE: RAISED CAST IRON FRAME AND FLAT RECTANGULAR/SQUARE GRATE



Catch-It Frame with FX Bag		Field Inlet Dimensions		Flexstorm Framing Dims				Flexstorm Ratings		
ADS P/N	Flexstorm Item code	Grate Size (A x C)	Clear Opening (B x D)	B1	D1	A1	C1	Bag Capacity (ft³)	FX/FX+ Flow Rate (CFS)	Bypass (CFS)
62LSQFX	C-SQ-270-270-250-250-FX	27 x 27	25 x 25	24.5	24.5	26.5	26.5	3.8	4.2	4.7
62LSQFX	C-SQ-280-280-260-260-FX	28 x 28	26 x 26	25.5	25.5	27.5	27.5	4.1	4.3	4.9
62LSQFX	C-SQ-298-298-280-280-FX	29.75 x 29.75	28 x 28	27.5	27.5	29.5	29.5	4.8	4.7	5.3
62LSQFX	C-SQ-300-230-280-210-FX	30 x 23	28 x 21	27.5	20.5	29.5	22.5	3.6	4.1	4.6
62LSQFX	C-SQ-313-258-301-241-FX	25.75x 31.25	24.125 X 30.125	29.0	23.5	31.0	25.5	4.3	4.4	5.1
62LSQFX	C-SQ-313-313-300-300-FX	31.25 x 31.25	30 x 30	29.0	29.0	31.0	31.0	5.4	4.9	5.6
62LSQFX	C-SQ-315-214-300-196-FX	31.5 x 21.4	30 x 19.6	29.5	19.0	31.5	21.0	3.6	4.1	4.7
62LSQFX	C-SQ-315-315-300-300-FX	31.5 x 31.5	30 x 30	29.5	29.5	31.5	31.5	5.5	5.0	5.7
62LSQFX	C-SQ-318-318-301-301-FX	31.75 X 31.75	30.125 X 30.125	29.5	29.5	31.5	31.5	5.5	5.0	5.7
62LSQFX	C-SQ-319-319-300-300-FX	31.87 X 31.87	30 X 30	29.5	29.5	31.5	31.5	5.5	5.0	5.7
62LSQFX	C-SQ-320-320-300-300-FX	32 x 32	30 x 30	29.5	29.5	31.5	31.5	5.5	5.0	5.7
62LSQFX	C-SQ-345-205-320-180-FX	34.5 x 20.5	32 x 18	31.0	17.5	34.5	17.5	3.5	4.1	7.0
62LSQFX	C-SQ-350-240-325-215-FX	35 x 24	32.5 x 21.5	31.5	21.0	35.0	21.0	4.2	4.4	7.6
62LSQFX	C-SQ-353-178-330-155-FX	35.25 x 17.75	33 x 15.5	31.5	15.0	35.0	15.0	3.0	3.9	6.7
62LSQFX	C-SQ-356-275-332-253-FX	35.56 x 27.5	33.25 x 25.25	32.0	24.8	35.5	24.8	5.0	4.8	8.2
62LSQFX	C-SQ-356-279-332-252-FX	35.62 x 27.87	33.25 x 25.187	32.0	24.7	35.5	24.7	5.0	4.8	8.2
62LSQFX	C-SQ-358-238-340-220-FX	23.75 X 35.75	22 X 34	33.5	21.5	35.5	23.5	4.6	4.7	5.3
62LSQFX	C-SQ-359-275-340-258-FX	35.87 x 27.5	34 x 25.75	33.5	25.5	35.5	27.5	5.4	5.0	5.7
62LSQFX	C-SQ-359-279-340-258-FX	35.87 x 27.85	34 x 25.75	33.5	25.5	35.5	27.5	5.4	5.0	5.7
62LSQFX	C-SQ-360-200-340-180-FX	36 x 20	34 x 18	33.5	17.5	35.5	19.5	3.7	4.3	4.9
62LSQFX	C-SQ-360-240-340-220-FX	36 x 24	34 x 22	33.5	21.5	35.5	23.5	4.6	4.7	5.3
62LSQFX	C-SQ-360-240-341-229-FX	36 x 24	34.125 x 22.87	33.6	22.0	35.6	24.0	4.7	4.7	5.4
62LSQFX	C-SQ-360-240-345-225-FX	36 x 24	34.5 x 22.5	34.0	22.0	36.0	24.0	4.8	4.7	5.4
62LSQFX	C-SQ-364-225-350-211-FX	36.375 x 22.5	35 x 21.125	34.0	20.5	36.0	22.5	4.4	4.6	5.3
62LSQFX	C-SQ-378-198-360-180-FX	19.75X 37.75	36 X 18	35.5	17.5	37.5	19.5	4.0	4.5	5.1
62LSQFX	C-SQ-378-258-361-241-FX	25.75 x 37.75	24.125 X 36.125	35.5	23.6	37.5	25.6	5.3	5.0	5.7
62LSQFX	C-SQ-380-169-364-151-FX	19(x2) x 16.87	36.375 x 15.125	36.0	14.5	38.0	16.5	3.3	4.3	4.9
62LSQFX	C-SQ-380-260-360-240-FX	38 x 26	36 x 24	35.5	23.5	37.5	25.5	5.3	5.0	5.7
62LSQFX	C-SQ-383-170-358-150-FX	38.25 x 17	35.6 x 15	35.0	14.5	37.0	16.5	3.2	4.2	4.8
62LSQFX	C-SQ-393-224-379-210-FX	39.25 x 22.43	37.87 x 21	37.0	20.5	39.0	22.5	4.8	4.9	5.5
62LSQFX	C-SQ-395-229-379-210-FX	39.5 x 22.87	37.87 x 21	37.0	20.5	39.0	22.5	4.8	4.9	5.5
62LSQFX	C-SQ-358-355-338-338-FX	35.5 x 35.75	33.75 x 33.75	33.0	33.5	35.0	35.5	7.0	5.6	6.4

NOTES:

1. RATINGS SHOWN ARE FOR STANDARD 22" BAG DEPTH; "SHORT" 12" DEPTH BAGS ARE AVAILABLE WITH -S SUFFIX; RATINGS REDUCED BY ~50%.

2. THE FOLLOWING REQUIRES ADDITIONAL REVIEW

- GRATES WITH EXTENDED BOTTOMS
- ANY OBSTRUCTED INLET OPENINGS




ALL PRODUCTS MANUFACTURED BY INLET & PIPE PROTECTION, INC A DIVISION OF ADS, INC. WWW.INLETFILTERS.COM (866) 287-8655 PH (630) 355-3477 FX INFO@INLETFILTERS.COM

THIS PRINT DISCLOSES SUBJECT MATTER IN WHICH FLEXSTORM HAS PROPRIETARY RIGHTS. THE RECEIPT OR POSSESSION OF THIS PRINT DOES NOT CONFER, TRANSFER, OR LICENSE THE USE OF THE DESIGN OR TECHNICAL INFORMATION SHOWN HEREIN. REPRODUCTION OF THIS PRINT OR ANY INFORMATION CONTAINED HEREIN, OR MANUFACTURE OF ANY ARTICLE HEREFROM, FOR THE DISCLOSURE TO OTHERS IS PROHIBITED, EXCEPT BY WRITTEN PERMISSION FROM FLEXSTORM. ©2013 ADS, INC.


SIZE	FRAME TYPE	DWG NO	REV
C	SQ1	SQ-62LSQ-PC	A
SCALE	SHEET 1 OF 1		

FLEXSTORM P/Ns 62XLSQFX


SQ INLET TYPE: RAISED CAST IRON FRAME AND FLAT RECTANGULAR/SQUARE GRATE



A: GRATE WIDTH (LEFT TO RIGHT)
 B: FRAME CLEAR OPENING WIDTH (LEFT TO RIGHT)
 C: GRATE DEPTH (FRONT TO BACK)
 D: FRAME CLEAR OPENING DEPTH (FRONT TO BACK)



Catch-It Frame with FX Bag		Field Inlet Dimensions		Flexstorm Framing Dims				Flexstorm Ratings		
ADS P/N	Flexstorm Item code	Grate Size (A x C)	Clear Opening (B x D)	B1	D1	A1	C1	Bag Capacity (ft ³)	FX/FX+ Flow Rate (CFS)	Bypass (CFS)
62XLSQFX	C-SQ-360-360-340-340-FX	36 x 36	34 x 34	33.5	33.5	35.5	35.5	7.1	5.7	6.5
62XLSQFX	C-SQ-378-378-360-360-FX	37.75 x 37.75	36 x 36	35.5	35.5	37.5	37.5	8.0	6.0	6.8
62XLSQFX	C-SQ-378-378-361-361-FX	37.75 X 37.75	36 .125 X 36.125	35.5	35.5	37.5	37.5	8.0	6.0	6.8
62XLSQFX	C-SQ-380-380-360-360-FX	38 x 38	36 x 36	35.5	35.5	37.5	37.5	8.0	6.0	6.8
62XLSQFX	C-SQ-400-251-375-230-FX	40 x 25.125	37.5 x 23	37.0	22.5	39.0	24.5	5.3	5.0	5.7
62XLSQFX	C-SQ-439-439-420-420-FX	43.87 x 43.87	42 x 42	41.5	41.5	43.5	43.5	11.0	7.0	8.0
62XLSQFX	C-SQ-478-218-455-195-FX	47.75 x (x21.75)	45.5 x 19.5(x2)	44.0	19.0	47.5	19.0	5.3	5.3	9.1
62XLSQFX	C-SQ-478-218-453-200-FX	47.75 x 21.75 (x2)	45.25 x 20 (x2)	44.0	19.5	47.5	19.5	5.5	5.4	9.2
62XLSQFX	C-SQ-478-265-455-243-FX	47.75 x 26.5	45.5 x 24.25	44.0	24.0	47.5	24.0	6.7	5.8	9.8
62XLSQFX	C-SQ-478-265-455-244-FX	23.187(x2) x 26.5	45.5 x 24.25	44.0	24.0	47.5	24.0	6.7	5.8	9.8
62XLSQFX	C-SQ-478-265-456-244-FX	23.187(x2) x 26.5	45.65 x 24.406	44.0	24.0	47.5	24.0	6.7	5.8	9.8
62XLSQFX	C-SQ-498-258-480-240-FX	49.75 x 25.75	48 x 24	46.0	23.0	49.5	23.0	6.7	5.8	10.0



*MOST XL SIZED FRAME AND GRATES COMBINATIONS REQUIRE 2 SIDE BY SIDE FLEXSTORM INLET FILTERS. DESIGN AND PRICING REFLECT THIS. PLEASE CONTACT FOR FURTHER DETAILS.

NOTES:

1. RATINGS SHOWN ARE FOR STANDARD 22" BAG DEPTH; *SHORT* 12" DEPTH BAGS ARE AVAILABLE WITH -S SUFFIX; RATINGS REDUCED BY ~50%.

2. THE FOLLOWING REQUIRES ADDITIONAL REVIEW

- GRATES WITH EXTENDED BOTTOMS
- ANY OBSTRUCTED INLET OPENINGS

		ALL PRODUCTS MANUFACTURED BY INLET & PIPE PROTECTION, INC A DIVISION OF ADS, INC. WWW.INLETFILTERS.COM (866) 287-8655 PH (630) 355-3477 FX INFO@INLETFILTERS.COM	
		SIZE C	FRAME TYPE SQ1
<small>THIS PRINT DISCLOSES SUBJECT MATTER IN WHICH FLEXSTORM HAS PROPRIETARY RIGHTS. THE RECEIPT OR POSSESSION OF THIS PRINT DOES NOT CONFER, TRANSFER, OR LICENSE THE USE OF THE DESIGN OR TECHNICAL INFORMATION SHOWN HEREIN. REPRODUCTION OF THIS PRINT OR ANY INFORMATION CONTAINED HEREIN, OR MANUFACTURE OF ANY ARTICLE HEREFROM, FOR THE DISCLOSURE TO OTHERS IS PROHIBITED, EXCEPT BY WRITTEN PERMISSION FROM FLEXSTORM. ©2013 ADS, INC.</small>		SCALE	SHEET 1 OF 1