




# FLEXSTORM P/Ns 62SSQFX

HD4 INLET TYPE: SQUARE/RECT PRECAST OPENING WITH 4 SEAT GRATE SUPPORT



Catch-It Frame with FX Bag		Field Inlet Dimensions		Flexstorm Framing Dims				Flexstorm Ratings (Flow at 50% max)		
ADS P/N	Flexstorm Item code	Grate Size (A x C)	Clear Opening (B x D)	B1	D1	A1	C1	Bag Capacity (ft <sup>3</sup> )	FX/FX+ Flow Rate (CFS)	Bypass (CFS)
62SSQFX	C-HD4-95-95-80-80-FX	9 1/2 X 9 1/2	8 X 8	6.0	7.0	9.5	7.0	0.3	0.6	1.3
62SSQFX	C-HD4-115-115-105-105-FX	11.5 x 11.5	10.5 x 10.5	8.0	9.5	11.5	9.5	0.5	0.7	1.7
62SSQFX	C-HD4-118-118-105-105-FX	11.75 x 11.75	10.5 x 10.5	8.0	9.5	11.5	9.5	0.5	0.7	1.7
62SSQFX	C-HD4-120-120-105-105-FX	12 X 12	10.5 X 10.5	8.5	9.5	12.0	9.5	0.5	0.8	1.7
62SSQFX	C-HD4-134-134-116-116-FX	13.375 X 13.375	11 5/8 X 11 5/8	9.5	10.5	13.0	10.5	0.6	0.8	1.9
62SSQFX	C-HD4-130-130-120-120-FX	13 x 13	12 x 12	9.5	11.0	13.0	11.0	0.7	0.9	2.0
62SSQFX	C-HD4-144-144-133-133-FX	14.375 x 14.375	13.25 x 13.25	10.5	12.5	14.0	12.5	0.8	1.0	2.2
62SSQFX	C-HD4-145-145-133-133-FX	14.5 X 14.5	13.25X 13.25	11.0	12.5	14.5	12.5	0.9	1.0	2.3
62SSQFX	C-HD4-159-159-143-143-FX	15.87 X 15.87	14.25 X 14.25	12.0	13.5	15.5	13.5	1.0	1.1	2.5
62SSQFX	C-HD4-178-178-160-160-FX	17.75 x 17.75	16 x 16	14.0	15.0	17.5	15.0	1.3	1.2	2.8



## NOTES:



- RATINGS SHOWN ARE FOR STANDARD 22" BAG DEPTH; "SHORT" 12" DEPTH BAGS ARE AVAILABLE WITH -S SUFFIX; RATINGS REDUCED BY ~50%.
- THE FOLLOWING REQUIRES ADDITIONAL REVIEW
  - GRATES WITH EXTENDED BOTTOMS
  - ANY OBSTRUCTED INLET OPENINGS

ALL PRODUCTS MANUFACTURED BY INLET & PIPE PROTECTION, INC A DIVISION OF ADS, INC.  
 WWW.INLETFILTERS.COM  
 (866) 287-8655 PH  
 (630) 355-3477 FX  
 INFO@INLETFILTERS.COM

THIS PRINT DISCLOSES SUBJECT MATTER IN WHICH FLEXSTORM HAS PROPRIETARY RIGHTS. THE RECEIPT OR POSSESSION OF THIS PRINT DOES NOT CONVEY, TRANSFER, OR LICENSE THE USE OF THE DESIGN OR TECHNICAL INFORMATION SHOWN HEREIN. REPRODUCTION OF THIS PRINT OR ANY INFORMATION CONTAINED HEREIN OR MANUFACTURE OF ANY ARTICLE HEREFROM, FOR THE DISCLOSURE TO OTHERS IS FORBIDDEN, EXCEPT BY WRITTEN PERMISSION FROM FLEXSTORM. ©2013 ADS, INC.	SIZE	FRAME TYPE	DWG NO	REV
C	SQ1	HD4-62SSQ-FX	A	A
SCALE				SHEET 1 OF 1

# FLEXSTORM P/Ns 62MSQFX

HD4 INLET TYPE: SQUARE/RECT PRECAST OPENING WITH 4 SEAT GRATE SUPPORT



Catch-It Frame with FX Bag		Field Inlet Dimensions		Flexstorm Framing Dims				Flexstorm Ratings (Flow at 50% max)		
ADS P/N	Flexstorm Item code	Grate Size (A x C)	Clear Opening (B x D)	B1	D1	A1	C1	Bag Capacity (ft <sup>3</sup> )	FX/FX+ Flow Rate (CFS)	Bypass (CFS)
62MSQFX	C-HD4-180-180-164-164-FX	18 X 18	16.375 X 16.375	14.5	15.5	18.0	15.5	1.4	1.3	2.9
62MSQFX	C-HD4-260-120-240-100-FX	26 x 12	24 x 10	22.5	9.0	26.0	9.0	1.3	1.3	3.0
62MSQFX	C-HD4-210-180-190-160-FX	21x18	19x16	17.5	15.0	21.0	15.0	1.7	1.4	3.1
62MSQFX	C-HD4-259-139-240-120-FX	25.87 x 13.87	24 x 12	22.0	11.0	25.5	11.0	1.5	1.4	3.2
62MSQFX	C-HD4-215-215-180-180-FX	21.5 x 21.5	18 x 18	17.5	17.0	21.0	17.0	1.9	1.5	3.3
62MSQFX	C-HD4-275-133-253-113-FX	27.5 x 13.25	25.25 x 11.25	24.0	10.5	27.5	10.5	1.6	1.5	3.3
62MSQFX	C-HD4-198-198-183-183-FX	19.75 X 19.75	18.25 X 18.25	16.0	17.5	19.5	17.5	1.8	1.4	3.2
62MSQFX	C-HD4-273-133-253-113-FX	27.25 x 13.25	25.25 x 11.25	23.5	10.5	27.0	10.5	1.6	1.4	3.3
62MSQFX	C-HD4-240-180-220-160-FX	24x18	22x16	20.5	15.0	24.0	15.0	2.0	1.5	3.4
62MSQFX	C-HD4-238-180-220-163-FX	23.75 x 18	22 x 16.25	20.0	15.5	23.5	15.5	2.0	1.5	3.4
62MSQFX	C-HD4-240-200-220-180-FX	24x20	22x18	20.5	17.0	24.0	17.0	2.2	1.6	3.6
62MSQFX	C-HD4-360-200-240-180-FX	36 x 20	24 x 18	23.5	17.0	27.0	17.0	2.5	1.7	3.9
62MSQFX	C-HD4-240-240-214-214-FX	24 x 24	21.375 x 21.375	20.5	20.5	24.0	20.5	2.7	1.7	4.0
62MSQFX	C-HD4-240-240-216-216-FX	24 x 24	21.62 x 21.62	20.5	20.5	24.0	20.5	2.7	1.7	4.0
62MSQFX	C-HD4-301-180-278-158-FX	30.06 x 18	27.75 x 15.75	26.5	15.0	30.0	15.0	2.5	1.8	4.0
62MSQFX	C-HD4-398-178-278-158-FX	29.75 x 17.75	27.75 x 15.75	27.5	15.0	31.0	15.0	2.6	1.8	4.1
62MSQFX	C-HD4-238-238-220-220-FX	23.75 x 23.75	22 x 22	20.0	21.0	23.5	21.0	2.7	1.7	4.0
62MSQFX	C-HD4-240-240-220-220-FX	24x24	22x22	20.5	21.0	24.0	21.0	2.7	1.8	4.0
62MSQFX	C-HD4-263-230-230-214-FX	26.25 x 23	23 x 21.375	22.5	20.5	26.0	20.5	2.9	1.8	4.1
62MSQFX	C-HD4-300-180-283-163-FX	30 x 18	28.25 x 16.25	26.5	15.5	30.0	15.5	2.6	1.8	4.0
62MSQFX	C-HD4-240-240-223-223-FX	24 X 24	22.25 X 22.25	20.5	21.5	24.0	21.5	2.8	1.8	4.0
62MSQFX	C-HD4-288-210-265-183-FX	28.75 x 21	26.5 x 18.25	25.0	17.5	28.5	17.5	2.8	1.8	4.1
62MSQFX	C-HD4-268-238-240-210-FX	26.75 x 23.75	24 x 21	23.0	20.0	26.5	20.0	2.9	1.8	4.1
62MSQFX	C-HD4-240-240-225-225-FX	24 x 24	22.5 x 22.5	20.5	21.5	24.0	21.5	2.8	1.8	4.0
62MSQFX	C-HD4-260-240-240-220-FX	26 x 24	24 x 22	22.5	21.0	26.0	21.0	3.0	1.8	4.2
62MSQFX	C-HD4-258-258-238-238-FX	25.75 x 25.75	23.75 x 23.75	22.0	23.0	25.5	23.0	3.2	1.9	4.3
62MSQFX	C-HD4-258-258-240-240-FX	25.75 x 25.75	24 x 24	22.0	23.0	25.5	23.0	3.2	1.9	4.3

**NOTES:**

1. RATINGS SHOWN ARE FOR STANDARD 22" BAG DEPTH; "SHORT" 12" DEPTH BAGS ARE AVAILABLE WITH -S SUFFIX; RATINGS REDUCED BY ~50%.

2. THE FOLLOWING REQUIRES ADDITIONAL REVIEW

-GRATES WITH EXTENDED BOTTOMS

-ANY OBSTRUCTED INLET OPENINGS

**FLEXSTORM**  
INLET FILTERS  
**CATCH-IT**



THIS PRINT DISCLOSES SUBJECT MATTER IN WHICH FLEXSTORM HAS PROPRIETARY RIGHTS. THE RECEIPT OR POSSESSION OF THIS PRINT DOES NOT CONVEY, TRANSFER, OR LICENSE THE USE OF THE DESIGN OR TECHNICAL INFORMATION SHOWN HEREIN. REPRODUCTION OF THIS PRINT OR ANY INFORMATION CONTAINED HEREIN, OR MANUFACTURE OF ANY ARTICLE HEREFROM, FOR THE DISCLOSURE TO OTHERS IS FORBIDDEN, EXCEPT BY WRITTEN PERMISSION FROM FLEXSTORM. ©2013 ADS, INC.

ALL PRODUCTS MANUFACTURED BY INLET & PIPE PROTECTION, INC A DIVISION OF ADS, INC.  
WWW.INLETFILTERS.COM  
(866) 287-8655 PH  
(630) 355-3477 FX  
INFO@INLETFILTERS.COM


SIZE	FRAME TYPE	DWG NO	REV
C	SQ1	HD4-62MSQ-FX	A
SCALE			SHEET 1 OF 1

# FLEXSTORM P/Ns 62LSQFX

HD4 INLET TYPE: SQUARE/RECT PRECAST OPENING WITH 4 SEAT GRATE SUPPORT



Catch-It Frame with FX Bag		Field Inlet Dimensions		Flexstorm Framing Dims				Flexstorm Ratings (Flow at 50% max)		
ADS P/N	Flexstorm Item code	Grate Size (A x C)	Clear Opening (B x D)	B1	D1	A1	C1	Bag Capacity (ft³)	FX/FX+ Flow Rate (CFS)	Bypass (CFS)
62LSQFX	C-HD4-258-258-243-243-FX	25.75 X 25.75	24.25 X 24.25	22.0	23.5	25.5	23.5	3.3	1.9	4.4
62LSQFX	C-HD4-338-218-304-184-FX	33.75 x 21.75	30.375 x 18.375	30.0	17.5	33.5	17.5	3.3	2.0	4.6
62LSQFX	C-HD4-280-280-245-245-FX	28 x 28	24.5 x 24.5	24.0	23.5	27.5	23.5	3.6	2.0	4.6
62LSQFX	C-HD4-358-179-336-156-FX	35.75x 17.87	33.62 x 15.62	32.0	14.5	35.5	14.5	3.0	2.0	4.5
62LSQFX	C-HD4-338-218-314-194-FX	33.75 x 21.75	31.375 x 19.375	30.0	18.5	33.5	18.5	3.5	2.1	4.7
62LSQFX	C-HD4-279-279-258-258-FX	27.875 x 27.875	25.75 x 25.75	24.0	25.0	27.5	25.0	3.8	2.1	4.7
62LSQFX	C-HD4-280-280-259-259-FX	28 X 28	25.87 X 25.87	24.5	25.0	28.0	25.0	3.9	2.1	4.8
62LSQFX	C-HD4-360-200-340-180-FX	36 x 20	34 x 18	32.5	17.0	36.0	17.0	3.5	2.1	4.8
62LSQFX	C-HD4-290-290-261-261-FX	29 x 29	26.1 x 26.1	25.5	25.0	29.0	25.0	4.1	2.1	4.9
62LSQFX	C-HD4-319-259-304-246-FX	31.87 x 25.87	30.375 x 24.62	28.0	23.5	31.5	23.5	4.2	2.2	5.0
62LSQFX	C-HD4-360-240-335-215-FX	36 x 24	33.5 x 21.5	32.5	20.5	36.0	20.5	4.2	2.2	5.1
62LSQFX	C-HD4-358-238-340-220-FX	35.75 x 23.75	34 x 22	32.0	21.0	35.5	21.0	4.3	2.2	5.1
62LSQFX	C-HD4-300-300-280-280-FX	30 x 30	28 x 28	26.5	27.0	30.0	27.0	4.6	2.3	5.2
62LSQFX	C-HD4-320-320-280-280-FX	32x32	28x28	27.5	27.0	31.0	27.0	4.7	2.3	5.3
62LSQFX	C-HD4-360-240-341-221-FX	36 x 24	34.125 x 22.125	32.5	21.0	36.0	21.0	4.3	2.3	5.2
62LSQFX	C-HD4-360-240-345-225-FX	36 x 24	34.5 x 22.5	32.5	21.5	36.0	21.5	4.4	2.3	5.2
62LSQFX	C-HD4-450-225-406-180-FX	45 x 22.5	40.58 x 18	40.0	17.0	43.5	17.0	4.3	2.4	5.5
62LSQFX	C-HD4-390-239-375-224-FX	39 x 23.87	37.5 x 22.375	35.5	21.5	39.0	21.5	4.9	2.4	5.5
62LSQFX	C-HD4-359-279-340-260-FX	35.87 x 27.87	34 x 26	32.0	25.0	35.5	25.0	5.1	2.4	5.5



**NOTES:**

- RATINGS SHOWN ARE FOR STANDARD 22" BAG DEPTH; "SHORT" 12" DEPTH BAGS ARE AVAILABLE WITH -S SUFFIX; RATINGS REDUCED BY ~50%.
- THE FOLLOWING REQUIRES ADDITIONAL REVIEW
  - GRATES WITH EXTENDED BOTTOMS
  - ANY OBSTRUCTED INLET OPENINGS

**CATCH-IT®**



ALL PRODUCTS MANUFACTURED BY INLET & PIPE PROTECTION, INC A DIVISION OF ADS, INC.  
 WWW.INLETFILTERS.COM  
 (866) 287-8655 PH  
 (630) 355-3477 FX  
 INFO@INLETFILTERS.COM

SIZE	FRAME TYPE	DWG NO	REV
C	SQ1	HD4-62SLQ-FX	A
SCALE			SHEET 1 OF 1


THIS PRINT DISCLOSES SUBJECT MATTER IN WHICH FLEXSTORM HAS PROPRIETARY RIGHTS. THE RECEIPT OR POSSESSION OF THIS PRINT DOES NOT CONFER, TRANSFER, OR LICENSE THE USE OF THE DESIGN OR TECHNICAL INFORMATION SHOWN HEREIN. REPRODUCTION OF THIS PRINT OR ANY INFORMATION CONTAINED HEREIN, OR MANUFACTURE OF ANY ARTICLE HEREFROM, FOR THE DISCLOSURE TO OTHERS IS FORBIDDEN, EXCEPT BY WRITTEN PERMISSION FROM FLEXSTORM. ©2013 ADS, INC.

# FLEXSTORM P/Ns 62XLSQFX

HD4 INLET TYPE: SQUARE/RECT PRECAST OPENING WITH 4 SEAT GRATE SUPPORT



Catch-It Frame with FX Bag		Field Inlet Dimensions		Flexstorm Framing Dims				Flexstorm Ratings (Flow at 50% max)		
ADS P/N	Flexstorm Item code	Grate Size (A x C)	Clear Opening (B x D)	B1	D1	A1	C1	Bag Capacity (ft³)	FX/FX+ Flow Rate (CFS)	Bypass (CFS)
62XLSQFX	C-HD4-400-280-360-240-FX	40x28	36x24	35.5	23.0	39.0	23.0	5.2	2.5	5.6
62XLSQFX	C-HD4-400-283-360-243-FX	40 x 28.25	36 x 24.25	35.5	23.5	39.0	23.5	5.3	2.5	5.7
62XLSQFX	C-HD4-319-319-303-303-FX	31.87 X 31.87	30.25 X 30.25	28.0	29.5	31.5	29.5	5.3	2.4	5.5
62XLSQFX	C-HD4-379-259-364-244-FX	37.87 x 25.87	36.375 x 24.375	34.0	23.5	37.5	23.5	5.1	2.4	5.5
62XLSQFX	C-HD4-393-273-371-258-FX	39.3 x 27.25	37.125 x 25.75	35.5	25.0	39.0	25.0	5.6	2.6	5.8
62XLSQFX	C-HD4-393-273-378-258-FX	39.25 x 27.25	37.81 x 25.75	35.5	25.0	39.0	25.0	5.6	2.6	5.8
62XLSQFX*	C-HD4-480-220-460-190-FX	48x22	46x19	44.5	18.0	48.0	18.0	5.1	2.6	6.0
62XLSQFX*	C-HD4-378-318-360-300-FX	37.75 x 31.75	*36 x 30	34.0	29.0	37.5	29.0	6.3	2.7	6.1
62XLSQFX*	C-HD4-460-263-430-230-FX	23(x2) x 26.25	43 x 23	42.5	22.0	46.0	22.0	6.0	2.7	6.2
62XLSQFX*	C-HD4-480-240-460-220-FX	48 x 24	46 x 22	44.5	21.0	48.0	21.0	5.9	2.8	6.3
62XLSQFX*	C-HD4-460-263-441-241-FX	46 x 26.25	44.125 x 24.125	42.5	23.0	46.0	23.0	6.2	2.8	6.3
62XLSQFX*	C-HD4-378-378-360-360-FX	37.75 x 37.75	*36 x 36	34.0	35.0	37.5	35.0	7.6	2.9	6.7
62XLSQFX*	C-HD4-500-263-480-240-FX	50 x 26.25	*48 x 24	46.5	23.0	50.0	23.0	6.8	2.9	6.7
62XLSQFX*	C-HD4-496-258-483-243-FX	49.62 x 25.75	*48.25 x 24.25	46.0	23.5	49.5	23.5	6.9	2.9	6.7
62XLSQFX*	C-HD4-378-378-365-365-FX	37.75 X 37.75	*36.5 X 36.5	34.0	35.5	37.5	35.5	7.7	2.9	6.7
62XLSQFX*	C-HD4-383-383-365-365-FX	38.25X 38.25	*36.5X 36.5	34.5	35.5	38.0	35.5	7.8	3.0	6.7
62XLSQFX*	C-HD4-515-279-486-249-FX	51.5 x 27.87	*48.62 x 24.87	48.0	24.0	51.5	24.0	7.3	3.1	6.9
62XLSQFX*	C-HD4-495-318-480-300-FX	49.5 x 31.75	*48 x 30	46.0	29.0	49.5	29.0	8.5	3.2	7.2
62XLSQFX*	C-HD4-493-378-480-360-FX	49.25 x 37.75	*48 x 36	45.5	35.0	49.0	35.0	10.1	3.4	7.8
62XLSQFX*	C-HD4-499-499-421-421-FX	43.87 X 43.87	*42.125 X 42.125	41.5	41.0	45.0	41.0	10.8	3.5	8.0
62XLSQFX*	C-HD4-506-506-480-480-FX	50.62 X 50.62	*48 X 48	47.0	47.0	50.5	47.0	14.1	4.0	9.1



\*MOST XL SIZED FRAME AND GRATES COMBINATIONS REQUIRE 2 SIDE BY SIDE FLEXSTORM INLET FILTERS. DESIGN AND PRICING REFLECT THIS. PLEASE CONTACT FOR FURTHER DETAILS.

**NOTES:**

- STD BAG IS 22 IN. 12 IN BAGS AVAILABLE UPON REQUEST
  - THE FOLLOWING REQUIRES ADDITIONAL REVIEW
    - GRATES WITH EXTENDED BOTTOMS
    - ANY OBSTRUCTED INLET OPENINGS
- \* DENOTES 2 PIECE SETS

**FLEXSTORM**  
INLET FILTERS  
**CATCH-IT**

THIS PRINT DISCLOSES SUBJECT MATTER IN WHICH FLEXSTORM HAS PROPRIETARY RIGHTS. THE RECEIPT OR POSSESSION OF THIS PRINT DOES NOT CONVEY, TRANSFER, OR LICENSE THE USE OF THE DESIGN OR TECHNICAL INFORMATION SHOWN HEREIN. REPRODUCTION OF THIS PRINT OR ANY INFORMATION CONTAINED HEREIN, OR MANUFACTURE OF ANY ARTICLE HEREFROM, FOR THE DISCLOSURE TO OTHERS IS FORBIDDEN, EXCEPT BY WRITTEN PERMISSION FROM FLEXSTORM. ©2013 ADS, INC.

ALL PRODUCTS MANUFACTURED BY INLET & PIPE PROTECTION, INC A DIVISION OF ADS, INC.  
WWW.INLETFILTERS.COM  
(866) 287-8655 PH  
(630) 355-3477 FX  
INFO@INLETFILTERS.COM

SIZE	FRAME TYPE	DWG NO	REV
C	SQ1	HD4-62XLSQ-FX	A
SCALE			SHEET 1 OF 1